

SPRING & SUMMER 2025

PRICES IN EFFECT UNTIL JUNE 30TH, 2025

KING RULES THE METAL SHOP



**PRESTON
HARDWARE**



248 Preston Street
Ottawa, ON K1R 7R4
(613) 230-7166
PrestonHardware.com

DVR WITH ADAPTIVE CONTROL™ SOFTWARE

nova VIKING
BY/PA: KING INDUSTRIAL dvr™

16" NOVA VIKING BENCHTOP DVR DRILL PRESS

83702

- Powerful direct drive 1 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable



NEW

\$1549.99

STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

\$1099.

Thermally protected Marathon® 6.5 peak HP motor with reset



7" X 12" METAL CUTTING BANDSAW

KC-712BC

- 11.5 Amp. motor • Coolant system
- Adjustable ball bearing guides
- 4 speeds (85-130-180-235 FPM)



\$1899.

The Most Innovative Drill Presses

Safety Guard with Limit Switch



83750
Fits #83702 & #83705
\$399.

16" NOVA VIKING DVR DRILL PRESS

- Powerful direct drive 1 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

\$1699.

Safety Guard with Limit Switch



58501
Fits #58006
\$399.

18" NOVA VOYAGER DVR DRILL PRESS

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

\$2399.

MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

PDM-30

- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8

**OPTIONAL
TABLE
POWERFEED
ATTACHMENT
PFM-32
For # PDM-30
\$679.**

5 PC. ACCESSORY
BONUS PACKAGE FREE
INCLUDED WITH THE PURCHASE OF A
PDM-30 MILLING DRILLING MACHINE


Includes: angle drill press vise,
drill chuck with key, drill chuck
arbor, carbide tipped face mill
and face mill arbor

MILLING DRILLING
MACHINE STAND
SS-45 **\$399.99**

PREMIUM HYBRID POLYMER GARDEN HOSES

K-5058GH 5/8" x 50 ft. **\$45.**
K-10058GH 5/8" x 100 ft. **\$77.**

Extreme All-Weather
Flexibility Kink resistant
150 PSI (Working) / 450 PSI (Burst)



11 Amp.
(220V)

\$2999.

Drill Presses with Digital Readout

12" BENCH VARIABLE SPEED DRILL PRESS

KC-12HS-VS

- Powerful 1/2 HP, 5 Amp motor.
- Variable speeds (580 - 3200 RPM)
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

Mechanical
variable
speed
system



\$499.99

15" FLOOR VARIABLE SPEED DRILL PRESS

KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor
- 4" stroke capacity allows drilling workpieces up to 4" thick
- Variable speeds 2 (280 - 1100/ 900-3300) RPM
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

\$699.99



10" BENCH GRINDER

KC-1090N

- Powerful 1-1/2 HP, 13 Amp, 1,750 RPM low speed motor
- Comes with medium 60 Grit and coarse 36 Grit 10" x 1" grinding wheels

\$349.99



POWERFUL 13 AMP. MOTOR

NEW

3200 PSI GASOLINE HIGH PRESSURE WASHER

- 3200 PSI, 2.5 GPM maximum water flow
- Low oil shut-off system
- Comes with stainless steel wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke
air cooled OHV engine

\$379.99



H.S.S. & BI-METAL BLADES ("SKIP TOOTH")							
Model	Length	Width	Blade Material	TPI	Thickness	Price	
KBB-712-10	93"	3/4"	H.S.S.	10	.032"	\$29.99	
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$29.99	
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$29.99	
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$89.99	
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$89.99	



300 PSI MAXIMUM PRESSURE

HYBRID POLYMER INDUSTRIAL AIR HOSES		
K-2514H	25x1/4"	\$21.99
K-2538H	25x3/8"	\$29.99
K-5014H	50x1/4"	\$33.99
K-5038H	50x3/8"	\$44.99
K-10014H	100x1/4"	\$54.99
K-10038H	100x3/8"	\$65.99



RETRACTABLE AIR HOSE 50 FT. x 3/8" REEL WITH HYBRID POLYMER AIR HOSE
K-5038FRL
• All-Weather Flexibility (-40°C to 65°C)
• Comes with wall mounting hardware



MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE
K-10014FRL
• 360° swivel base
• All-Weather Flexibility (-40°C to 65°C)



100 FT. x 1/4" MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE
K-10014FRL
• 360° swivel base
• All-Weather Flexibility (-40°C to 65°C)

HEPA

CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

KVAC-1145

FITS: 8520LP, 8530LP, 8531LP-B, 8540LST

KVAC-1150


FITS: 8560LST



\$39. EA.

8520LP

- Powerful 3.5 Peak HP motor
- 5 US Gallon (20L)
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool



\$69.99

8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$89.99

8540LSTN

- Powerful 5 Peak HP motor
- 10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$179.99

Double filtration system

8560LST

- Powerful 6.5 Peak HP motor
- 16 US Gallon (60L)
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



\$299.99

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump

\$749.

ASME
safety
valve



AIR COMPRESSORS & ACCESSORIES



SPRAY GUN KITS

8180



\$39.99

8182



\$49.99

8185



\$69.99

8190 HVLP



\$79.99

8195



\$99.99

INDUSTRIAL 2-STAGE AIR COMPRESSORS

2-STAGE 5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-5280V3-MS

- 200 PSI max pressure
- 19 CFM @ 175 PSI

2 cylinder cast iron
2-stage oil
lubricated pump



\$3499.

2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-7280V3-MS

- 200 PSI max pressure
- 24 CFM @ 175 PSI

2 cylinder cast iron
2-stage oil
lubricated pump



\$3999.

5.5 PEAK HP 24 GALLON AIR COMPRESSOR

KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump



\$875.

HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron
single stage oil
lubricated pump



\$1499.

TIRE INFLATION GUN WITH PRESSURE GAUGE K-1630



\$23.99

COMPRESSOR OIL BOTTLE KW-077 (850ml)



\$9.99

2" X 42" BELT & 8" DISC SANDER

KC-770FX

- Powerful 1 HP, 6.2 Amp direct drive motor
- Both a 1" and a 2" sanding belt can be installed
- Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys

**NEW & IMPROVED
WITH SAFETY GUARDS**



\$499. 1 HP Motor

2" x 42" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-242-60Z	2"x42"	60	1	\$9.99
SB-242-80Z	2"x42"	80	1	\$9.99
SB-242-100Z	2"x42"	100	1	\$9.99
SB-242-120Z	2"x42"	120	1	\$9.99

PURE ZIRCONIA 8" SANDING DISCS

Model	Disc Size	Grit	Unit	Price
SB-8-60Z	8"	60	1	\$9.99
SB-8-80Z	8"	80	1	\$9.99
SB-8-100Z	8"	100	1	\$9.99
SB-8-120Z	8"	120	1	\$9.99

10" WET/DRY SHARPENER KIT

KC-4900S

- 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
- Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels



\$229.⁹⁹

OPTIONAL

4 pc. Accessory Kit

KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)



\$69.⁹⁹

8" LOW SPEED LONG SHAFT BUFFER

KC-899LSB

- Powerful 1/2 HP motor
- Arbor shaft diameter: 5/8"
- Motor no load speed: 1,750 RPM
- Comes with two 8" x 1/2" spiral sewn cloth buffing wheels



2PC. 8" X 1/2" BUFFING WHEEL KIT
KM-131 **\$39.⁹⁹**

\$159.⁹⁹

BENCH GRINDER STAND

SS-150N

- Made of cast-iron & alloy steel
- Height of 31-1/2" from the floor
- Water reservoir for quenching workpieces



\$79.⁹⁹

BENCH GRINDERS

KC-690LN

• 3450 RPM

**Built-in
LED lights**

\$75.

KC-890

• 3450 RPM

\$139.

8" LOW SPEED BENCH GRINDER WITH LIGHT

KC-895LS

Comes complete with diamond wheel dressing tool, tool rests, eye shields, coarse 60 grit and fine 120 Grit 8" x 1" white aluminum oxide grinding wheels



\$159.⁹⁹

3" X 79" METAL BELT SANDER

Comes with Canadian



made 80
Grit pure
zirconia
sanding
belt




2 HP
(220V)

\$1099.

KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover
for access to entire
length of belt for
larger pieces



3"x 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$19.99
SB-379-80	3"x79"	80	1	\$19.99
SB-379-120	3"x79"	120	1	\$19.99

2 HP METAL DUST COLLECTOR

KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



\$1699.

FIREPROOF 3" METAL DUST COLLECTION HOSES KIT

KM-102

Kits Includes: 2 - 8ft. (2.5M)
Fireproof hoses 4 - hose
clamps (3")



\$79.⁹⁹

RATED
130°C

DIGITAL FRACTIONAL CALIPER

KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included



\$35.



1.5 HP (220V)
Direct
Drive
Motor

\$1699.

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

KC-1295

- Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

MAGNETIC SWITCHES

Comes with twist lock
emergency stop button

\$129.⁹⁹ ea.



KMAG-110-811	110V (8-11 Amp.)
KMAG-110-1114	110V (11-14 Amp.)
KMAG-110-1417	110V (14-17 Amp.)
KMAG-220-811	220V (8-11 Amp.)
KMAG-220-1114	220V (11-14 Amp.)
KMAG-220-1417	220V (14-17 Amp.)
KMAG-220-1721	220V (17-21 Amp.)

SANDBLAST CABINETS WITH LED LIGHT

- 4 different sized ceramic nozzles
- 2 rubber gauntlet gloves
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors

LED light for improved visibility



KSB-110N-LED

\$199.99

KSB-350-LED

\$699.

ADHESIVE WINDOW PROTECTORS

KM-097

Fits: KSB-110N-LED
5 PC. KIT

KM-098

Fits: KSB-350-LED
5 PC. KIT

REPLACEMENT CERAMIC NOZZLES

KM-036

Fits:
KSB-110N-LED
& KSB-350-LED
4 PC. KIT



\$29.99

\$29.99

\$29.99

RECIRCULATING PARTS WASHERS

CLEANING BRUSH FOR PARTS WASHERS
KM-059



\$19.99



5 GALLON
KPW-205

- Safety lever has fusible link
- Durable pump included

\$89.99

20 GALLON
KPW-220

- Safety lever has fusible link
- Durable pump included

\$199.99

40 GALLON
KPW-240

- Safety lever has fusible link
- Durable pump included

\$299.99

VARIABLE SPEED HAND-HELD BLOWER/VACUUM

8317

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM)
- Trigger lock-on button for continuous operation
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.

\$29.99



Vacuum mode

LED WORK LIGHTS



KC-3002LED-ST
40W work light emits
6000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

KC-4002LED-ST
72W work light emits
8000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

\$149.99

\$199.99

15W Work light emits
1500 lumens
KC-1501LED

\$35.99

20W Work light emits
3000 lumens
KC-3001LED

\$59.99

36W Work light emits
4000 lumens
KC-4001LED

\$99.99

10W Work light emits
1500 lumens
KC-1502LED-C

CORDLESS

\$49.99



2 TON
FOLDING SHOP CRANE
KFC-2TC

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

\$379.

PRESSURE ABRASIVE SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

KSB-10

10 GALLON

KSB-20

20 GALLON



Protective blast hood included

\$249.99

\$299.99

14" CUT-OFF SAW

8342LN

- Quick release vise for holding workpiece, allows cuts up to a 45° angle

Powerful 15 Amp motor

\$169.99



HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

Optional
9 PC. PUNCH & DIE KIT
KM-045

\$129.99



KHP-10T-GGN
\$349.99

KHP-20T-GGN
\$559.99

METAL FORMING MACHINES

3 IN 1

METAL FORMING MACHINES



52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

\$2599.



SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

\$1799.

KC-S3622


- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

\$769.

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

\$679.



SHEAR, BRAKE AND ROLL

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

\$659.

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

\$999.

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

\$1599.



16 GAUGE BOX AND PAN BRAKE

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

\$1199.

NEW HEAVIER DUTY MODEL



12" HAND SHEAR

KC-HS12

- Level arm with compensating spring

\$249.



4 TON HAND NOTCHER

KC-N616

- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

\$749.



ARBOR PRESS

KAP-3

- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

\$379.




COMBINATION ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Distance between shaft centers: 2"
- Depth of throat to frame: 7"
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

\$749.



FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs



\$3999.

MILLING DRILLING MACHINES

18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII

KCS-R8-15

- Straight shank taper R8
- Draw Bar 7/16" NF 20

\$399.99 ea.

DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6

Size 6"

KC-DPRT-8

Size 8"

\$159.99 ea.

K-TYPE SWIVEL BASE MILLING VISES

3" 4" 6" 8"
KMV-3M KMV-4M KMV-6M KMV-8M
\$129. \$199. \$259. \$369.

HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6

Size 6"

KC-HVRT-8

Size 8"

\$499.

\$599.

INSPECTION CAMERAS

INSPECTION CAMERA WITH LCD MONITOR

KC-9050

Kit includes:

- Camera handle, 9mm dia. x 39" flexible camera probe
- 2.4" diagonal TFT-LCD color monitor,
- Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries

\$99.99

WIRELESS INSPECTION CAMERA WITH RECORDABLE LCD MONITOR

KC-9200

Kit includes:

- Camera handle, 39" x 9mm camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD memory card and 4 AA batteries

DIGITAL ZOOM EX

\$199.99

MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

KC-20VS-2

- 1 HP Motore
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box

\$2299.

OPTIONAL MILLING DRILLING MACHINE STAND SS-20VS

\$329.

MINI MILLING DRILLING MACHINE

KC-15VS

- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches and hex. keys

\$999.



Column tilts 45° to the right or left



OPTIONAL STAND SS-1620CLM
(41-3/8" x 19-1/4" x 30-1/2") **\$399.**

GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8

OPTIONAL TABLE POWERFEED ATTACHMENT

PFM-32

For # KC-45

\$679.

OPTIONAL MILLING DRILLING MACHINE STAND SS-45

\$399.99

12" SLOW SPEED COLD CUT SAW

KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°

Blade not included

\$2999.

OPTIONAL 12" COLD CUT SAW BLADE

KM-1200

(Made in Italy)

\$399.

16" X 20" COMBO LATHE/MILL

KC-1620CLM

- Comes with 5"- 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

\$3299.

Two powerful 3/4 HP 110V motors

OPTIONAL KM-124

Elevating block with 7/16" T-slots (7-7/8" x 5-7/8" x 5")



\$199.

11 PC. METAL LATHE CUTTER SET

KM-146

3/8" Shank
Fits: KC-0712ML, KC-1022ML, KC-1620CLM



\$59.99

MILLING DRILLING MACHINES & ACCESSORIES

17" DRILL PRESS



DRILL PRESS CHUCK SAFETY GUARD KM-118 Fits KC-118FC

\$29.99

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



- KC-118FC**
- 12.5 Amp. motor
 - 16 speeds (240-3400 RPM)
 - 17" swing
 - 3 1/4" stroke
 - 5/8" chuck

\$799.

- KC-118FC-LS**
- 12.5 Amp. motor
 - 16 speeds (240-3400 RPM)
 - 17" swing
 - 3 1/4" stroke
 - 5/8" chuck

\$899.

17" LONG STROKE DRILL PRESS with SAFETY GUARD



LONG 6" STROKE

- KC-119FC-LS**
- 12.5 Amp. motor
 - 12 speeds (255-2750 RPM)
 - Spindle taper MT #3
 - 16 15/16" swing
 - 6" stroke
 - 3/4" chuck

\$1099.

22" DRILL PRESS



DRILL PRESS CHUCK SAFETY GUARD KM-122 Fits KC-122FC

\$29.99

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



- KC-122FC**
- 12.5 Amp. motor
 - 1 1/4" capacity
 - Spindle taper MT #4
 - 12 speeds (180-4200 RPM)
 - 4 3/4" stroke
 - 3/4" chuck

\$1299.

- KC-122FC-LS**
- 12.5 Amp. motor
 - 1 1/4" capacity
 - Spindle taper MT #4
 - 12 speeds (180-4200 RPM)
 - 4 3/4" stroke
 - 3/4" chuck

\$1399.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

- KC-40HS (220V)**
KC-40HS-6 (600V)
- 1.5 HP Motor
 - Forward & Reversing Switch
 - 1 1/4" Drilling Capacity
 - 20 7/16" Swing
 - Spindle Taper MT#3
 - 6 Speeds (60-1500 RPM)
 - Face Mill Capacity 4"
 - End Mill capacity 3/4"

FREE ANGLE VISE



\$4999.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

- KC-40HC (220V)**
KC-40HC-6 (600V)
- 1.5 HP Motor
 - Forward & Reversing Switch
 - 1 1/4" Drilling Capacity
 - 20 7/16" Swing
 - Spindle Taper R-8
 - 6 Speeds (60-1500 RPM)
 - Face Mill Capacity 4"
 - End Mill capacity 3/4"
 - Working surface of table 23"x 7 1/2"

FREE ANGLE VISE



\$5999.

POWER DOWNFEED & TAPPING



RECIRCULATING COOLANT SYSTEM



28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

- KC-50**
- 2 HP motor
 - 27 1/2" swing
 - 7" stroke
 - Speeds (60-870 / 120-1740)
 - 1 1/2" capacity
 - Spindle taper MT#4
 - 5/8" Chuck & key included



\$6999.

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



Variable speed handwheel with digital readout



Safety guard with limit switch protection

LONG 6" STROKE



- KC-30HS-VS**
- Powerful 1 HP motor
 - E-stop 2 step activation safety switch with line voltage interruption
 - Variable speeds: 400-5,000 RPM
 - 5/8" drill chuck and key

\$2999.

RADIAL DRILLING MACHINE WITH SAFETY GUARD

- KC-35/SS-35**
- 1.5 HP Motor
 - 21 1/4" Max. distance spindle nose to table
 - Speeds 5(340-3000 R.P.M.)
 - 5 1/4" Spindle stroke
 - MT #3 Spindle taper
 - 38 1/2" swing
 - 4 1/2" Column diameter
 - 21 5/8" x 19 5/8" Table dimensions
 - 14" Head travel
 - 5/8" Size of T-Slot on table
 - Forward reverse switch
 - 1/2" chuck with key, safety guard and stand

HEAD SWIVELS 180°



\$4999.

29 PC. TITANIUM DRILL BIT SET KDB-29T



\$39.99

CROSS SLIDE VISES



4"- KCV-4N \$69.99
5"- KCV-5N \$99.99
6"- KCV-6N \$129.99

DRILL PRESS VISES



3"-KPV-3 \$19.99
4"-KPV-4 \$26.99
5"-KPV-5 \$39.99
6"-KPV-6 \$54.99

KEYLESS DRILL CHUCKS



KDC-12X 1/2"JT#33 \$79.99
KDC-58X 5/8"JT#33 \$99.99
KDC-34X 3/4"JT#4 \$129.99

COMPOUND SLIDE TABLE



KCT-618 \$249.99
• 6" X 18 1/2" - 1/2" T- slots

52 PC. CLAMPING KITS



KCL-5212 \$89.99
Fits 1/2" table slots
KCL-52 \$89.99
Fits 5/8" table slots

20 PC. TITANIUM COATED END MILL SET KM-120



\$189.99
2 & 4 Flute (10 pcs. each) Imperial, Single End

2500W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2500i

- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablets or any USB powered equipment
- Carbon monoxide (CO DETECTORTM) safety system is designed to detect harmful levels of CO



NEW

WOW
\$599.99



Optional
K-X2P
Parallel Cable Kit for
connectivity between
two inverters 2500W inverters

\$99.99

3800W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-3800i-DF

- Powerful 5 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- DC USB ports (A & C): 5V/2.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



\$849.99

Comes with propane tank connection cable,
Nema L5-30P/Nema TT30R RV adaptor

5000W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-5000i-DF

- Powerful 8 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



\$1199.99

Comes with propane tank connection cable,
Nema L5-30P/Nema TT30R RV adaptor

PALLET TRUCKS

Min. height of forks 2.95"
Max. raised height of forks 7 1/2"

5,500 lbs
capacity

KC-2145N-NYL
(21" X 45")
Nylon wheels

429.99

KC-2748N-NYL
(27" X 48")
Nylon wheels

429.99

KC-2748NP
(27" X 48")
Poly wheels

429.99



QUICK RELEASE
FOOT PEDAL

QUICK RELEASE
FOOT PEDAL

GASOLINE WATER PUMPS

- 105" (KCG-2WPG) or 92" (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 2 hose adapters, 2 rubber gaskets, strainer basket and strainer basket adapter



Standard
accessories

KCG-2WPG

\$399.99



2" NPT inlet
and outlet

Powerful 7 HP, 4 stroke
air cooled OHV engine

Standard
accessories

KCG-3WPG

\$399.99



3" NPT inlet
and outlet

GASOLINE ENGINES

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction



KCG-65
Powerful 6.5 HP,
4 stroke air cooled
OHV engine

\$229.



KCG-130
Powerful 13 HP,
4 stroke air cooled
OHV engine

\$449.

WATER PUMP HOSE KITS

Each hose kit comes with a
type A threaded camlock adaptor
CLEAR PVC REINFORCED SUCTION HOSES

\$119.99

KW-252
2" X 25 ft

\$199.99

KW-253
3" X 25 ft

FLAT PVC DISCHARGE HOSES

\$89.99

KW-502
2" X 50 ft

\$119.99

KW-503
3" X 50 ft



11000W TRI-FUEL DIGITAL INVERTER GENERATOR

KCG-11000i-TF

- Powerful 18 HP, 4 stroke air cooled motor
- DC dual USB ports: 5V/3.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



Remote
control
start



\$2199.99



Comes with propane tank and
natural gas connection cables.



15000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- Powerful 20 HP, V-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset

AUTO-IDLE DOWN
FUNCTION extends
running time by
automatically
adjusting engine
speed to idle when
not under load



\$2499.99



GASOLINE/PROPANE GENERATORS

5100W GASOLINE GENERATOR WITH WHEEL KIT KCG-5100G

- **Powerful 8 HP**, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



10000W TRI-FUEL GENERATOR WITH ELECTRIC START

KCG-10002GE-TF

- **Powerful 15 HP**, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 1 20V/240V/30 Amp. AC



\$1099.99

Comes with propane tank and natural gas connection cables.



5100W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-5101GE-DF



- **Powerful 8 HP**, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

\$599.99



Propane Tank Not Included

Fuel Can Not Included

Comes with propane tank connection cable

12600W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12600GE

- **Powerful 18 HP**, 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets



\$1099.99



6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-6502GE

- **Powerful 10 HP**, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$649.99



10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

- **Powerful 15 HP**, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp.

\$899.99



12000W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-12001GE-DF



- **Powerful 18 HP**, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC and

\$1199.99



Propane Tank Not Included

Fuel Can Not Included



Comes with propane tank connection cable

GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit
Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware

\$109.99



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length: 10 feet
Gauge (AWG)/Cord: 12 (SJTW 4/C)



\$39.99

K-L1430R-25

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (SJTW 4/C)



\$99.99

K-L1430-25-4T

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$99.99

K-L1430-25EXT

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (SJTW 4/C)



\$99.99

DESIGNED FOR OUR INVERTER GENERATORS

K-L530-25-3T

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (STW 3/C)



\$99.99

50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2
Cord length: 1.5 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$69.99

METAL CUTTING BANDSAWS

PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

- Variable speed 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever
- Comes with standard 44-7/8" x 1/2" blade

\$199.99

OPTIONAL

Miter Stand turns this Bandsaw into a Cut-off Saw

SS-8377

\$99.99

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1 1/2"	10-14	.020"	\$24.99
KBB-8376-BM-1418	44 7/8"	1 1/2"	14-18	.020"	\$24.99

5" x 6" METAL CUTTING BANDSAW

KC-129C

- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability

8 Amp.
(110V)

\$699.

H.S.S. & BI-METAL BLADES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-10	64 1/2"	1 1/2"	H.S.S.	10	.025"	\$19.99
KBB-115-14	64 1/2"	1 1/2"	H.S.S.	14	.025"	\$19.99
KBB-115-18	64 1/2"	1 1/2"	H.S.S.	18	.025"	\$19.99
KBB-115-24	64 1/2"	1 1/2"	H.S.S.	24	.025"	\$19.99
KBB-115-BM-10	64 1/2"	1 1/2"	Bi-Metal	10	.025"	\$39.99
KBB-115-BM-14	64 1/2"	1 1/2"	Bi-Metal	14	.025"	\$39.99
KBB-115-BM-18	64 1/2"	1 1/2"	Bi-Metal	18	.025"	\$39.99

PRECISION
PRESSURE
GAUGE
INDICATES
THE BLADE
TENSION



10" x 18" METAL CUTTING BANDSAW

KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guide
- Control panel with automatic shut-off
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves

H.S.S. BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$39.99
KBB-225-14	122"	1"	14	.032"	\$39.99

11.5 Amp. @ 220V
2.6 Amp. @ 600V

PATENTED
TRU-LOCK™ quick
locking vise system.

Exclusive
24 Volt
control
panel

Exclusive
24 Volt
control
panel

\$5999.

5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch



8 Amp.
(110V)

\$999.

ADJUSTABLE
HYDRAULIC
CYLINDER



10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

11.5 Amp. @ 220V
2.6 Amp. @ 600V

- Swivel base from 0° to 45°
- Position adjustable control panel and automatic shut-off
- Adjustable hydraulic down feed control
- Carbide ball bearing blade guides
- Coolant system with regulator valves

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99



PATENTED
TRU-LOCK™ quick
locking vise system.

\$7999.

METAL CUTTING BANDSAWS

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

6 Amp.
(220V)

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

PATENTED
TRU-LOCK™ quick
locking vise system.

\$3599.

9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V (8 Amp. 220V)

KC-918S-V- 600V (2.5 Amp. 600V)

- Returning coolant system
- Variable speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

VARIABLE
SPEED



H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$39.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$39.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

\$8499.

novaTM

7" x 12" NOVA DVR METAL CUTTING BANDSAW

59001

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Includes a 240V conversion components kit

**DVR
Smart**
THE WORLD FIRST
SMART BANDSAW
WITH DIGITAL
DISPLAY



\$3499.

17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



Blade
speed
digital
readout

RESAW FENCE
SYSTEM

23 1/2" x 17"
cast iron table
Tilts 5° to the left
& 45° to the right

2- 4" Dust
chutes for
dust collector
hook-up

2HP
(8 Amp. @ 220V)

\$4499.

18" METAL CUTTING BANDSAW

KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



7.5 Amp.
(220V)

\$5499.

METAL LATHES & ACCESSORIES



7" X 12"


VARIABLE SPEED MINI METAL LATHE KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

5.5 Amp.
(110V)

INCLUDES - 4"- 3 JAW CHUCK & STEADY REST



10" X 22"

BELT DRIVE METAL LATHE KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$3299.

12 Amp.
(110V)

**OPTIONAL
CABINET
STAND
SS-1022**



\$399.99



12" X 36"

GEARHEAD METAL LATHE

1.5 HP
(220V)

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(.2 - 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

**WITH TAPER ATTACHMENT
KC-1236ML/SS-1236/KM-053**

\$5849.

\$6499.



**BONUS
CABINET STAND
INCLUDED**

14" X 40"

GEARHEAD METAL LATHE

2 HP
(240V)


- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I.) 26(.4 - 7mm) thread cutting
- Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2

**WITH TAPER ATTACHMENT
KC-1440ML-2/KM-054**

\$9499.

\$9999.



**CABINET STAND WITH
FOOT BRAKE INCLUDED**

16" X 40"

HIGH PRECISION "TOOL ROOM" METAL LATHE

4 HP
(600V)


- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML

**WITH TAPER ATTACHMENT
KC-1640ML/KM-055**


\$16999.

\$17499.



**CABINET STAND WITH
FOOT BRAKE INCLUDED**

FAGOR DIGITAL READOUT SYSTEMS



20i-T-840
(Fits KC-1440ML-6
& KC-1440ML-2)

2 AXIS with
8" x 40" scales

\$2599.

20i-T-1040
(Fits KC-1640ML)

2 AXIS with
10" x 40" scales

\$2799.

LIVE CENTERS

\$69.  **\$79.**

KLC-2M
TAPER SHANK -
MT#2

KLC-3M
TAPER SHANK
MT#3

7 PC. CARBIDE CUTTER HOLDERS

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. inserts (2pc.)

INCLUDED
Screwdriver and
3 adjustment keys




KM-047
3/8" Shank


KM-057
5/8" Shank

\$199.

\$219.

Fits Models: KC-0712ML, KC-1022ML, KC-1236ML, 14440ML-2, 14440ML-6, KC-1640GH, KC-1640ML & KC-1660GH

TAPER ATTACHMENT



**Taper Attachment must be
ordered together with**

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models
KC-1236ML, KC-1440ML-2 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



KOCT-0012
Fits most lathes up to
0 to 12" swing

\$279.99

KOCT-1015
Fits most lathes between
10" to 15" swing

\$399.99

KOCT-1318
Fits most lathes between
13" to 18" swing

\$499.99