

# SPRING & SUMMER 2026

PRICES IN EFFECT UNTIL JUNE 30TH, 2026

# KING RULES THE METAL SHOP



**PRESTON  
HARDWARE**



248 Preston Street  
Ottawa, ON K1R 7R4  
(613) 230-7166  
PrestonHardware.com

## MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

### PDM-30

- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8

11 Amp.  
(220V)

### OPTIONAL TABLE POWERFEED ATTACHMENT PFM-32

For # PDM-30

**\$679.**

**5 PC. ACCESSORY  
BONUS PACKAGE FREE**  
INCLUDED WITH THE PURCHASE OF A  
PDM-30 MILLING DRILLING MACHINE  
Includes: angle drill press vise,  
drill chuck with key, drill chuck  
arbor, carbide tipped face mill  
and face mill arbor

## MILLING DRILLING MACHINE STAND SS-45

**\$399.99**

**\$2999.**

## 3200 PSI GASOLINE HIGH PRESSURE WASHER KPW-3200

- 3200 PSI, 2.5 GPM maximum water flow
- Low oil shut-off system
- Comes with stainless steel wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke  
air cooled OHV engine

**\$399.99**

## PREMIUM HYBRID POLYMER GARDEN HOSES



Extreme All-Weather  
Flexibility Kink resistant



K-5058GH  
5/8" x 50 ft.

**\$45.**

K-10058GH  
5/8" x 100 ft.

**\$77.**

## 14" DRY-CUT METAL CUTTING CHOP SAW



### KC-8314

- Powerful 15 Amp., 1,450 RPM motor
- High quality 14" TCG/FTG Chop Saw blade included for cutting mild steel and ferrous metals
- Quick release vise with adjustable positive stops a 0°, 15°, 25°, 45°
- Comes with 14" X 72 carbide tooth TCG/FTG Chop Saw blade and adjustment hex. keys

**\$499.99**

### Replacement 14" Dry-cut metal cutting chop saw blade 14" x 72T KSC-1472



**\$119.99**

## STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

2 cylinder cast iron single  
stage oil lubricated pump

**\$1199.**



Thermally protected  
Marathon® 6.5 peak  
HP motor with reset

Proudly Canadian

ASME safety valve

## PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

### KC-8377

- Variable speed 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever
- Comes with standard 44-7/8" x 1/2" blade

**\$199.99**



### BI-METAL BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$24.99
KBB-8376-BM-1418	44 7/8"	1/2"	14-18	.020"	\$24.99

### OPTIONAL

Miter Stand turns this Bandsaw  
into a Cut-off Saw  
SS-8377

**\$99.99**




## 5" x 6" METAL CUTTING BANDSAW

### KC-129C


- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability

**\$725.**





H.S.S. & BI-METAL BLADES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-610	64 1/2"	1/2"	H.S.S.	6-10	.025"	\$19.99
KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$19.99
KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$19.99
KBB-115-BM-610	64 1/2"	1/2"	Bi-Metal	6-10	.025"	\$39.99
KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$39.99
KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$39.99




## 7" X 12" METAL CUTTING BANDSAW

### KC-712BC

- 11.5 Amp. motor • Coolant system
- Adjustable ball bearing guides
- 4 speeds (85-130-180-235 FPM)

**\$1850.**





H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-610	93"	3/4"	H.S.S.	10	.032"	\$29.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$29.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$29.99
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$89.99
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$89.99



300 PSI MAXIMUM PRESSURE

HYBRID POLYMER INDUSTRIAL AIR HOSES		
K-2514H	25x1/4"	\$21.99
K-2538H	25x3/8"	\$29.99
K-5014H	50x1/4"	\$33.99
K-5038H	50x3/8"	\$44.99
K-10014H	100x1/4"	\$54.99
K-10038H	100x3/8"	\$65.99

## RETRACTABLE AIR HOSE 50 FT. x 3/8" REEL WITH HYBRID POLYMER AIR HOSE

- K-5038FRL
- All-Weather Flexibility (-40°C to 65°C)
- Comes with wall mounting hardware



**\$109.99**

## MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE

- K-10014FRL
- 360° swivel base
- All-Weather Flexibility (-40°C to 65°C)



**\$109.99**

# HEPA

## CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

### KVAC-1145

FITS: 8520LP, 8530LPN, 8531LP-B, 8540LSTN

### KVAC-1150

FITS: 8560LST



**\$39. EA.**

### 8520LP

- 3.5 Peak HP motor
- 5 US Gallon (20L)
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool



**\$69.99**

### 8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



**\$89.99**

### 8540LSTN

- Powerful 5 Peak HP motor
- 10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



**\$179.99**

### 8560LST

- Powerful 6.5 Peak HP motor
- 16 US Gallon (60L)
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



**\$299.99**

## AIR COMPRESSORS

### 3 GALLON ULTRA-QUIET OIL-FREE AIR COMPRESSOR

#### KC-1030A

- 3.5 CFM @ 40 PSI
- 2.8 CFM @ 90 PSI tank pressure

1.1 HP (PEAK)  
(64 Decibels)



**\$199.99**

### 5.5 PEAK HP 20 GALLON AIR COMPRESSOR

#### KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron  
single stage oil  
lubricated pump



**\$799.**

### HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

#### KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron  
single stage oil  
lubricated pump



**\$1599.**

### TIRE INFLATION GUN WITH PRESSURE GAUGE K-1630



**\$23.99**

### COMPRESSOR OIL BOTTLE KW-077 (850ml)



**\$9.99**

## SPRAY GUN KITS

Proudly Canadian



8180

**\$39.99**



8182

**\$49.99**



8185

**\$69.99**



8190 HVL P

**\$79.99**



8195

**\$99.99**

## INDUSTRIAL 2-STAGE AIR COMPRESSORS

### 2-STAGE 5 RUNNING HP 80 GALLON AIR COMPRESSOR

#### KC-5280V3-MS

- 200 PSI max pressure
- 19 CFM @ 175 PSI

2 cylinder cast iron  
2-stage oil  
lubricated pump



**\$3599.**

### 2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

#### KC-7280V3-MS

- 200 PSI max pressure
- 24 CFM @ 175 PSI

2 cylinder cast iron  
2-stage oil  
lubricated pump



**\$3999.**

ASME safety valve

Comes with magnetic starter

ASME safety valve

Comes with magnetic starter

ASME safety valve

# 3" X 79" METAL BELT SANDER

Comes with Canadian made 80 Grit pure zirconia sanding belt



2 HP  
(220V)

**\$1099.**

## KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces



## 3"x 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$19.99
SB-379-80	3"x79"	80	1	\$19.99
SB-379-120	3"x79"	120	1	\$19.99

## 2 HP METAL DUST COLLECTOR

### KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



**\$1699.**

## DIGITAL FRACTIONAL CALIPER

### KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included



**\$35.**

## FIREPROOF 3" METAL DUST COLLECTION HOSES KIT

### KM-102

Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")



**\$89.99** RATED 130°C

1.5 HP (220V)  
Direct Drive Motor

**\$1699.**

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND  
KC-1295


- Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels



## BENCH GRINDER STAND

### SS-150N

- Made of cast-iron & alloy steel
- Height of 31-1/2" from the floor
- Water reservoir for quenching workpieces



**\$79.99**

## BENCH GRINDERS

### KC-690LN

• 3450 RPM

**Built-in LED lights**

**\$79.99**



### KC-890

• 7 Amp. motor  
• 3450 RPM

**\$149.**



### KC-1090N

- Powerful 1-1/2 HP, 13 Amp, 1,750 RPM low speed motor
- Comes with, medium 60 Grit and coarse 36 Grit 10" x 1" grinding wheels

**\$349.99**



**POWERFUL 13 AMP. MOTOR**

## 8" LOW SPEED BENCH GRINDER WITH LIGHT

### KC-895LS

Comes with coarse 60 grit and fine 120 Grit 8" x 1" white aluminum oxide grinding wheels

**\$159.99**



## 10" WET/DRY SHARPENER KIT

### KC-4900S

- 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
- Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels



**\$249.99**

## OPTIONAL 4 pc. Accessory Kit

### KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)

**\$69.99**

## 8" LOW SPEED LONG SHAFT BUFFER

### KC-899LSB

- Powerful 1/2 HP motor
- Arbor shaft diameter: 5/8"
- Motor no load speed: 1,750 RPM
- Comes with two 8" x 1/2" spiral sewn cloth buffing wheels



**\$159.99**

## 2PC. 8" X 1/2" BUFFING WHEEL KIT

### KM-131

**\$39.99**

## 2" X 42" BELT & 8" DISC SANDER

### KC-770FX

- Both a 1" and a 2" sanding belt can be installed
- Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys

**NEW & IMPROVED WITH SAFETY GUARDS**



**\$499.**

## 2" X 42" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-242-60Z	2"x42"	60	1	\$9.99
SB-242-80Z	2"x42"	80	1	\$9.99
SB-242-100Z	2"x42"	100	1	\$9.99
SB-242-120Z	2"x42"	120	1	\$9.99

## PURE ZIRCONIA 8" SANDING DISCS

Model	Disc Size	Grit	Unit	Price
SD-8-60Z	8"	60	1	\$9.99
SD-8-80Z	8"	80	1	\$9.99
SD-8-100Z	8"	100	1	\$9.99
SD-8-120Z	8"	120	1	\$9.99

## SANDBLAST CABINETS WITH LED LIGHT

- 4 different sized ceramic nozzles
- 2 rubber gauntlet gloves
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors

LED light for improved visibility



KSB-110N-LED

KSB-350-LED

**ADHESIVE WINDOW PROTECTORS**  
KM-097  
Fits: KSB-110N-LED  
5 PC. KIT

KM-098  
Fits: KSB-350-LED  
5 PC. KIT

**REPLACEMENT CERAMIC NOZZLES**  
KM-036  
Fits:  
KSB-110N-LED  
& KSB-350-LED  
4 PC. KIT

\$29.99

\$29.99

\$29.99

## RECIRCULATING PARTS WASHERS

**CLEANING BRUSH FOR PARTS WASHERS**  
KM-059



\$19.99



**5 GALLON**  
KPW-205

- Safety lever has fusible link
- Durable pump included

\$89.99

**20 GALLON**  
KPW-220

- Safety lever has fusible link
- Durable pump included

\$199.99

**40 GALLON**  
KPW-240

- Safety lever has fusible link
- Durable pump included

\$299.99

## VARIABLE SPEED HAND-HELD BLOWER/VACUUM


8317

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM)
- Trigger lock-on button for continuous operation
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.

\$29.99



Vacuum mode



**KC-3002LED-ST**  
40W work light emits 6000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

\$149.99

**KC-4002LED-ST**  
72W work light emits 8000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

\$199.99

## LED WORK LIGHTS

15W Work light emits 1500 lumens  
KC-1501LED

\$35.99

10W Work light emits 1500 lumens  
KC-1502LED-C

CORDLESS

\$39.99

20W Work light emits 3000 lumens  
KC-3001LED

\$59.99

36W Work light emits 4000 lumens  
KC-4001LED

\$99.99



**2 TON FOLDING SHOP CRANE**  
KFC-2TC

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

\$379.

## 14" CUT-OFF SAW

8342LN

- Quick release vise for holding workpiece, allows cuts up to a 45° angle

\$179.99

Powerful 15 Amp motor



## PRESSURE ABRASIVE SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

**KSB-10**  
10 GALLON

**KSB-20**  
20 GALLON



Protective blast hood included

\$249.99

\$299.99

## HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

**Optional**  
9 PC. PUNCH & DIE KIT  
KM-045

\$129.99



**KHP-10T-GGN**  
\$349.99

**KHP-20T-GGN**  
\$559.99

# METAL LATHES & ACCESSORIES



## 7" X 12"

### VARIABLE SPEED MINI METAL LATHE


KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

**\$1099.**

5.5 Amp.  
(110V)

**INCLUDES - 4"- 3 JAW CHUCK & STEADY REST**



## 10" X 22"

### BELT DRIVE METAL LATHE

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

**\$2999.**

12 Amp.  
(110V)

**OPTIONAL  
CABINET  
STAND  
SS-1022**

**\$399.99**



## 12" X 36"

### GEARHEAD METAL LATHE

KC-1236ML/SS-1236

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(2 - 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

**WITH TAPER ATTACHMENT  
KC-1236ML/KM-053/SS-1236**

**\$5999.**

**\$6499.**

1.5 HP  
(220V)



**BONUS  
CABINET STAND  
INCLUDED**

## 14" X 40"

### GEARHEAD METAL LATHE

KC-1440ML-2


- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I.) 26(4 - 7mm) thread cutting
- Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2

**\$9499.**

2 HP  
(240V)

2" Spindle Bore



**WITH TAPER ATTACHMENT**

**KC-1440ML-2/KM-054**

**\$9999.**

**CABINET STAND WITH  
FOOT BRAKE INCLUDED**

## 16" X 40"

### HIGH PRECISION "TOOL ROOM" METAL LATHE

KC-1640ML

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches


KC-1640ML

**\$16,999.**

**WITH TAPER ATTACHMENT  
KC-1640ML/KM-055**

**\$17,499.**

4 HP  
(600V)



**CABINET STAND WITH  
FOOT BRAKE INCLUDED**

## TAPER ATTACHMENT



Taper Attachment must be ordered together with Metal Lathe

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models

KC-1236ML, KC-1440ML-2 & KC-1640ML

## 7 PC. QUICK CHANGE TOOL POST KITS



KQCT-0012

Fits most lathes up to 0 to 12" swing

**\$269.99**

KQCT-1015

Fits most lathes between 10" to 15" swing

**\$349.99**

KQCT-1318

Fits most lathes between 13" to 18" swing

**\$449.99**

## LIVE CENTERS

KLC-2M


TAPER SHANK - MT#2

**\$69.**


KLC-3M

TAPER SHANK - MT#3

**\$79.**



2 axis (X, Y) digital readout (DRO)



Line interruption switch system and safety guard with limit switch protection

**WITH DIGITAL READOUT & TAPER ATTACHMENT**

**KC-1440ML-2/54/DRO**

**\$10,999.**

## 7 PC. CARBIDE CUTTER HOLDERS

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. inserts (2pc.)

**INCLUDED  
Screwdriver and  
3 adjustment keys**



**KM-047  
3/8" Shank**

**\$199.**

Fits Models:  
KC-0712ML, KC-1022ML



**KM-057  
5/8" Shank**

**\$219.**


Fits Models:  
KC-1236ML, 1440ML-2  
1440ML-6, KC-1640GH,  
KC-1640ML & KC-1660GH

# MILLING DRILLING MACHINES

## RADIAL DRILLING MACHINE WITH SAFETY GUARD

### KC-35/SS-35

- 1.5 HP Motor
- 21 1/4" Max. distance spindle nose to table
- Speeds 5(340-3000 R.P.M.)
- 5 1/4" Spindle stroke
- MT #3 Spindle taper
- 38 1/2" swing
- 4 1/2" Column diameter
- 21 5/8" x 19 5/8" Table dimensions
- 14" Head travel
- 1/2" chuck with key, safety guard and stand



**HEAD SWIVELS 180°**

**\$4999.**

## MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

### KC-20VS-2

- 1 HP Motor
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box



HEADS TILTS 90° TO THE LEFT AND RIGHT

**\$2299.**

## OPTIONAL MILLING DRILLING MACHINE STAND SS-20VS

**\$349.**

## GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

### KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8

## OPTIONAL TABLE POWERFEED ATTACHMENT PFM-32

For # KC-45

**\$679.**

## OPTIONAL MILLING DRILLING MACHINE STAND SS-45

**\$399.99**



## 18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

### KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII



### KCS-R8-15

- Straight shank taper R8
- Draw Bar 7/16" NF 20

**\$399.99 ea.**

## DIVIDING PLATES FOR ROTARY TABLE

### KC-DPRT-6

Size 6"

### KC-DPRT-8

Size 8"

**\$159.99 ea.**



## K-TYPE SWIVEL BASE MILLING VISES

3" 4" 6" 8"  
KMV-3M KMV-4M KMV-6M KMV-8M

**\$129. \$199. \$279. \$379.**



## HORIZONTAL & VERTICAL ROTARY TABLES

### KC-HVRT-6

Size 6"

### KC-HVRT-8

Size 8"



**\$499.**

**\$599.**

## MINI MILLING DRILLING MACHINE

### KC-15VS

- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches and hex. keys



Column tilts 45° to the right or left



POWERFUL 3/4 HP MOTOR

**\$1099.**

## 12" SLOW SPEED COLD CUT SAW

### KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°

**\$2999.**



Blade not included

## OPTIONAL 12" COLD CUT SAW BLADE KM-1200

(Made in Italy)

**\$399.**



## 16" X 20" COMBO LATHE/MILL

### KC-1620CLM

- Comes with 5"- 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

**\$3299.**

Two powerful 3/4 HP 110V motors



## OPTIONAL STAND SS-1620CLM

(41-3/8" x 19-1/4" x 30-1/2")

**\$399.**

## OPTIONAL KM-124

Elevating block with 7/16" T-slots (7-7/8" x 5-7/8" x 5")



**\$199.**

## 11 PC. METAL LATHE CUTTER SET

### KM-146

3/8" Shank  
Fits: KC-0712ML, KC-1022ML, KC-1620CLM



**\$59.99**

# MILLING DRILLING MACHINES & ACCESSORIES

## Drill Presses with Digital Readout

### 12" BENCH VARIABLE SPEED DRILL PRESS

#### KC-12HS-VS

- Powerful 1/2 HP, 5 Amp motor.
- Variable speeds (580 - 3200 RPM)
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

Mechanical variable speed system

Mechanical variable speed system

### 15" FLOOR VARIABLE SPEED DRILL PRESS

#### KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor
- 4" stroke capacity allows drilling workpieces up to 4" thick
- Variable speeds 2 (280 - 1100/ 900-3300) RPM
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

**\$499.99**

**\$599.99**

## 17" DRILL PRESS

DRILL PRESS CHUCK SAFETY GUARD  
KM-118  
Fits KC-118FC **\$29.99**

## 17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



#### KC-118FC

- 12.5 Amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

**\$799.**

#### KC-118FC-LS

- 12.5 Amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

**\$899.**

## 17" LONG STROKE DRILL PRESS with SAFETY GUARD



LONG 6" STROKE

#### KC-119FC-LS

- 12.5 Amp. motor
- 12 speeds (255-2750 RPM)
- Spindle taper MT #3
- 16 15/16" swing
- 6" stroke
- 3/4" chuck

**\$1099.**

## 22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



DRILL PRESS CHUCK SAFETY GUARD  
KM-122  
Fits KC-122FC **\$29.99**

#### KC-122FC

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

**\$1299.**

#### KC-122FC-LS

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

**\$1399.**

## 15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



Variable speed handwheel with digital readout



Safety guard with limit switch protection

LONG 6" STROKE

#### KC-30HS-VS

- Powerful 1 HP motor
- E-stop 2 step activation safety switch with line voltage interruption
- Variable speeds: 400-5,000 RPM
- 5/8" drill chuck and key

**\$2999.**

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



## 21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

#### KC-40HS (220V)

#### KC-40HS-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper MT#3
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"

FREE ANGLE VISE

**\$4999.**

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



## 21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

#### KC-40HC (220V)

#### KC-40HC-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper R-8
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"
- Working surface of table 23"x 7 1/2"

FREE ANGLE VISE

**\$5999.**

POWER DOWNFEED & TAPPING



RECIRCULATING COOLANT SYSTEM



## 28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

#### KC-50

- 2 HP motor
- 27 1/2" swing
- 7" stroke
- Speeds (60-870 / 120-1740)
- 1 1/2" capacity
- Spindle taper MT#4
- 5/8" Chuck & key included

**\$6999.**

## 29 PC. TITANIUM DRILL BIT SET

#### KDB-29T



**\$39.99**

29 (1/16"-1/2" x 1/16 4")

## CROSS SLIDE VISES



4"- KCV-4N **\$79.99**

5"- KCV-5N **\$99.99**

6"- KCV-6N **\$129.99**

## DRILL PRESS VISES



3"-KPV-3 **\$19.99**

4"-KPV-4 **\$29.99**

5"-KPV-5 **\$44.99**

6"-KPV-6 **\$59.99**

## KEYLESS DRILL CHUCKS



KDC-12X 1/2"-JT#33 **\$79.99**

KDC-58X 5/8"-JT#3 **\$99.99**

KDC-34X 3/4"-JT#4 **\$129.99**

## COMPOUND SLIDE TABLE



KCT-618 **\$249.99**

• 6" X 18 1/2" - 1/2" T- slots

## 52 PC. CLAMPING KITS



KCL-5212 **\$89.99**

Fits 1/2" table slots

KCL-52 **\$89.99**

Fits 5/8" table slots

## 20 PC. TITANIUM COATED END MILL SET



KM-120 **\$199.99**

2 & 4 Flute (10 pcs. each)

Imperial, Single End

## 2500W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2500i

- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Powerful 3 HP**, 4 stroke air cooled OHV engine DC output for charging smartphones, tablets or any USB powered equipment
- Carbon monoxide (**CO DETECTOR™**) safety system is designed to detect harmful levels of CO



**\$599.99**



**Optional \$99.99**  
K-X2P  
Parallel Cable Kit for  
connectivity between  
two inverters 2500W inverters

## 4000W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-4000i-DF

- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Powerful 5 HP**, 4 stroke air cooled OHV engine DC output for charging smartphones, tablets or any USB powered equipment
- Carbon monoxide (**CO DETECTOR™**) safety system is designed to detect harmful levels



**\$879.99**

Comes with propane tank connection cable,  
Nema L5-30P/Nema TT30R RV adaptor

## 5000W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR

KCG-5000i-DF

- Powerful 8 HP**, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



Remote  
control  
start



**\$1199.99**

Comes with propane tank connection cable,  
Nema L5-30P/Nema TT30R RV adaptor

## PALLET TRUCKS

Min. height of forks 2.95"  
Max. raised height of forks 7 1/2"

5,500 lbs  
capacity

KC-2145N-NYL  
(21" X 45")  
Nylon wheels

**429.99**

QUICK RELEASE  
FOOT PEDAL

KC-2748N-NYL  
(27" X 48")  
Nylon wheels

**429.99**

QUICK RELEASE  
FOOT PEDAL

KC-2748NP  
(27" X 48")  
Poly wheels

**429.99**



## 11000W TRI-FUEL DIGITAL INVERTER GENERATOR

KCG-11000i-TF

- Powerful 18 HP**, 4 stroke air cooled motor
- DC dual USB ports: 5V/3.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



Remote  
control  
start



**\$2199.99**

Comes with propane tank and  
natural gas connection cables.



## GASOLINE WATER PUMPS

- 105' (KCG-2WPG) or 92' (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 2 hose adapters, 2 rubber gaskets, strainer basket and strainer basket adapter



Standard  
accessories

KCG-2WPG

**\$339.99**



2" NPT inlet  
and outlet

Powerful 7 HP, 4 stroke  
air cooled OHV engine

Standard  
accessories

KCG-3WPG

**\$399.99**



3" NPT inlet  
and outlet

## GASOLINE ENGINES

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction



KCG-65

Powerful 6.5 HP,  
4 stroke air cooled  
OHV engine

**\$229.**



KCG-130

Powerful 13 HP,  
4 stroke air cooled  
OHV engine

**\$449.**

## WATER PUMP HOSE KITS

Each hose kit comes with a  
type A threaded camlock adaptor

### CLEAR PVC REINFORCED SUCTION

**\$119.99**

KW-252  
2" X 25 ft

**\$199.99**

KW-253  
3" X 25 ft

### FLAT PVC DISCHARGE HOSES

**\$99.99**

KW-502  
2" X 50 ft

**\$119.99**

KW-503  
3" X 50 ft



## 15000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- Powerful 20 HP**, V-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset

**AUTO-IDLE DOWN  
FUNCTION** extends  
running time by  
automatically  
adjusting engine  
speed to idle when  
not under load



**\$2499.99**



# GASOLINE/PROPANE GENERATORS

## 5100W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

**\$449.99**



## 10000W TRI-FUEL GENERATOR WITH ELECTRIC START

KCG-10002GE-TF

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 1 20V/240V/30 Amp. AC

**\$999.99**



Comes with propane tank and natural gas connection cables.



## 5100W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START  
KCG-5101GE-DF



- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

**\$599.99**

Comes with propane tank connection cable



## 12600W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12600GE

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets

**\$1099.99**



## 6500W GASOLINE GENERATOR WITH ELECTRIC START

KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

**\$649.99**



## 10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp.

**\$899.99**



## 12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START  
KCG-12001GE-DF



- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V 30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC and DC reset

**\$1199.99**



Comes with propane tank connection cable



## GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit  
Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware

**\$109.99**



## GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length: 10 feet  
Gauge (AWG)/Cord: 12 (STW 4/C)



**\$39.99**

K-L1430R-25

Extension cord length: 25 feet  
Gauge (AWG)/Cord: 10 (STW 4/C)



**\$99.99**

K-L1430-25-4T

Extension cord length: 25 feet  
Gauge (AWG)/Cord: 10 (STW 4/C)



**\$99.99**

K-L1430-25EXT

Extension cord length: 25 feet  
Gauge (AWG)/Cord: 10 (STW 4/C)



**\$99.99**

## DESIGNED FOR OUR INVERTER GENERATORS

K-L530-25-3T

Extension cord length: 25 feet  
Gauge (AWG)/Cord: 10 (STW 3/C)



**\$99.99**

## 50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2

Cord length: 1.5 feet  
Gauge (AWG)/Cord: 10 (STW 4/C)



**\$69.99**

# METAL FORMING MACHINES

## 3 IN 1

## METAL FORMING MACHINES



### SLIP ROLLS

**KC-S5016**

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

**\$1699.**

**KC-S3622**

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

**\$749.**

**KC-S2422**

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

**\$649.**




### 12" HAND SHEAR

**KC-HS12**

- Level arm with compensating spring

**\$249.**




### 4 TON HAND NOTCHER

**KC-N616**

- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

**\$749.**



### SHEAR, BRAKE AND ROLL

**KC-1220**

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

**\$699.**

**KC-3020**

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

**\$999.**

**KC-4020**

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

**\$1599.**



### ARBOR PRESS

**KAP-3**

- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

**\$379.**



### COMBINATION ROTARY MACHINE

**KC-RM22**

- Cutting capacity (mild steel): 22 Gauge
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

**\$749.**



### 16 GAUGE BOX AND PAN BRAKE

**KC-BP4816**

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

**\$1199.**

**NEW & IMPROVED  
REMOVABLE HARDENED FINGERS**



### 52" FOOT SHEAR

**KC-F5216**

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

**\$2799.**



### FLOOR MODEL BOX AND PAN BRAKE

**KC-BP4812**

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs

**\$3999.**



# METAL CUTTING BANDSAWS

## 5" X 6" DUAL SWIVEL METAL CUTTING BANDSAW KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch

ADJUSTABLE  
HYDRAULIC  
CYLINDER



**\$999.** 8 Amp.  
(110V)

## 7" X 12" DUAL SWIVEL METAL CUTTING BANDSAW KC-712DS

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides



PATENTED  
TRU-LOCK™ quick  
locking vise system.

**\$3599.** 6 Amp.  
(220V)

## 10" X 18" METAL CUTTING BANDSAW KC-227-2 (220V) KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves



PRECISION  
PRESSURE  
GAUGE  
INDICATES  
THE BLADE  
TENSION



PATENTED  
TRU-LOCK™ quick  
locking vise system.

11.5 Amp. @ 220V  
2.6 Amp. @ 600V

**\$5799.**

### H.S.S. BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$39.99
KBB-225-14	122"	1"	14	.032"	\$39.99

## 9" X 18" METAL CUTTING SWIVEL BANDSAW KC-918S-V (8 Amp. 220V) KC-918S-V- 600V (2.5 Amp. 600V)

- Returning coolant system
- Variable speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off

- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles



VARIABLE  
SPEED

**\$8499.**

### H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$39.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$39.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

## 10" X 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW KC-228S-V-2 (220V) KC-228S-V-6 (600V)

- Swivel base from 0° to 45°
- Position adjustable control panel and automatic shut-off
- Adjustable hydraulic down feed control
- Carbide ball bearing blade guides
- Coolant system with regulator valves

11.5 Amp. @ 220V  
2.6 Amp. @ 600V

Exclusive  
24 Volt  
control  
panel

PATENTED  
TRU-LOCK™ quick  
locking vise system.



**\$7999.**

### BI-METAL BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99

# THE MOST INNOVATIVE DRILL PRESSES EVER!

**nova™ VIKING**  
BY/PAT. KING INDUSTRIAL **dvr™**

## 16" NOVA VIKING BENCHTOP DVR DRILL PRESS 83702

- Powerful direct drive 1 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable



**\$1599.99**

16" NOVA VIKING DVR DRILL PRESS 83705

Safety Guard with Limit Switch



83750  
Fits #83702 & #83705

**\$399.**

- Powerful direct drive 1 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

**\$1799.**

18" NOVA VOYAGER DVR DRILL PRESS 58006

Safety Guard with Limit Switch



58501  
Fits #58006

**\$399.**

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable

**\$2499.**

## 17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



2HP  
(8 Amp. @ 220V)

**\$4499.**

## 18" METAL CUTTING BANDSAW KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



7.5 Amp.  
(220V)

**\$5499.**

**nova™**

**nova ECLIPSE**

7" x 12"

## NOVA DVR METAL CUTTING BANDSAW 59002C

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Includes a 240V conversion components kit

**DVR Smart**  
THE WORLD FIRST SMART BANDSAW WITH DIGITAL DISPLAY



**\$3599.**



Head swivels 0°-45° to the right and left



Integrated coolant system



DVR with Adaptive Control™ Software

7" x 12"

## NOVA DVR DUAL SWIVEL METAL CUTTING BANDSAW 59012DS

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Powerful direct drive 1 HP high torque brushless motor with no pulleys or belts to cause vibration

**NEW**



**\$4999.**

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-610	93"	3/4"	H.S.S.	10	.032"	\$29.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$29.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$29.99
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$89.99
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$89.99